



Welcome

LOGIN

Enter your search term here...



[Solution home](#) / [General](#) / [Getting Started](#)

## How to connect Metamask to Binance Smart Chain ?

Print

Modified on: Tue, 15 Sep, 2020 at 5:20 PM

To easily interact with Dapps on the Binance Smart Chain (BSC), users can connect and use the Metamask wallet.

Follow the steps below to connect to Binance Smart Chain Mainnet:

1. Click on the top-right **My Accounts** on Metamask and select **Settings**.



2. On the left, under **Networks**, you are given an option to **Add Network**



3. Upon clicking on **Add Network**, you will be presented a **New Network**



4. Kindly fill in the details as below

- Network Name
  - **Binance Smart Chain**
- New [RPC URL](#)
  - <https://bsc-dataseed1.binance.org/>
- Chain ID



- **56**
- Symbol
  - **BNB**
- Block Explorer URL
  - <https://bscscan.com/>

5. Click on **Save** when all fields are correctly entered












6. Kindly check top right to ensure you are connected to the Binance Smart Chain



Did you find it helpful?  Yes -  No

## Related Articles

-  [How to recover ERC20 tokens sent to Ethereum address as BEP20?](#)
-  [What is Binance Smart Chain ?](#)
-  [How to withdraw BEP20 from Binance ?](#)
-  [How to Delegate BNB to a Validator](#)
-  [What is Verify Contract Address Ownership?](#)
-  [What is BSCScan?](#)
-  [What are the Reasons for Failed Transactions?](#)
-  [How to verify smart contracts on BscScan ?](#)
-  [Token Approvals](#)
-  [How to update token information on BscScan ?](#)

